

Not So Square Open Price List

Not So Square Open Price List Revisions

| Date Page | Modification | Description |
|-----------|------------------------------|--|
| 9.14.22 | | Removed power block options |
| 11.10.22 | Price Increase | 9% price increase applied to all item except for options |
| 4.20.23 | Increased price of VILLA Pow | er unit with daisylink starter units |
| 6.21.23 | Added the MWW finish | |
| 10.12.23 | Added Kvadrat | |


2023 price list darran.com (800) 334-7891

Statement of Line


| -abric seat & leather program | 1 |
|---|----|
| =eatures & Advantages | 4 |
| Finishes Specifications | 6 |
| Edges I Pulls | 7 |
| Grommets Grommet Reference | 8 |
| Modesty Reference Doors Grain Direction | 9 |
| Drawer Dimensions Filing Reference | |
| Wire Management | 11 |
| Workstation Typical | 12 |
| Worksurface Tops | 13 |
| _egs | 15 |
| Adjustable Height Desk and Units | 17 |
| Storage Tower Kits | 21 |
| End Cabinets | 25 |
| Benches and Mobile Peds | 27 |
| Shared Storage | 30 |
| Not SO square Stools | 31 |
| Bar Height Table and Bar Stools | 32 |
| Fabric Privacy and Modesty Tack Panels | 34 |
| Acrylic End Privacy Panels | 37 |
| Glass Privacy Modersty Panels | |
| Options | 42 |
| Power & Data | 10 |

Not So Square Open Table Of Contents


Statement of Line




Page 13 Worksurface Tops Worksurface Tops




Page 14 Worksurface Tops Worksurface Tops With Exposed Plywood Edge



Page 15 Legs End Leg



Page 16 Legs Connecting Leg



Page 17 Adjustable Height Desk And Units Adjustable Height Desk - With Acrylic Half Modesty Panel



Page 18 Adjustable Height Desk And Units Adjustable Height Mechanism



Page 19 Adjustable Height Desk And Units Single Leg Pedestal



Page 20 Adjustable Height Desk And Units Double Leg Pedestal



Page 21 Storage Tower Kits - Kit #1 48" H Bridge Unit, Open Unit, Overhead W/ 2 Sided Access



Page 22 Storage Tower Kits - Kit #2 48" H Bridge Unit, Open Unit, Overhead W/1 Sided Access



Page 23 Storage Tower Kits - Kit #3 48" H Bridge Unit, Connecting Surface, Overhead W/ 2 Sided Access




Page 24 Storage Tower Kits - Kit #4 48" H Bridge Unit, Connecting Surface, Overhead W/ 1 Sided Access



Page 25 End Cabinets End Cabinet / Door Storage



Page 26 End Cabinets End Cabinet / 2 Drawer Lateral File



Page 27 Benches And Mobile Peds Benches - Box/File Storage Right And Left



Page 28 Benches And Mobile Peds Benches - Box File/Storage Right





Placifie Bouffle W Cushion Op PD425

Page 29 Benches And Mobile Peds Mobile Peds - Box Box File Lock,



Page 30 Shared Storage Shared Door Storage



Page 31 Bar Height Table



Page 32 Bar Height Table And Bar Stools Short Back Bar Stool



Page 33 Bar Height Table And Bar Stools Backless Bar Stool



Page 34 Fabric Privacy And Modesty Tack Panels 24" High Fabric Panels



Page 35 Fabric Privacy And Modesty Tack Panels 24" High Fabric Panels




Page 36 Fabric Privacy And Modesty Tack Panels 24" High Fabric Panels



Page 37 Acrylic Privacy/Modesty Panels Acrylic Privacy/Modesty Panels



Page 38 Acrylic Privacy/Modesty Panels Half Acrylic Privacy Panel



Page 39 Acrylic Privacy/Modesty Panels Overhead Privacy Panel



Page 40 Ultraclear Glass Privacy/Modesty Panels 12" High Glass Panels



Page 41 Ultraclear Glass Privacy/Modesty Panels 18" High Glass Panels

Seating & fabric leather program

DARRAN has partnered with some of the most prestigious fabric suppliers of the office furniture industry to bring you quality fabrics that are engaging designs, environmentally friendly and durable for years to come. The majority of fabrics we have graded-in are in heavy supply making it most likely available on our Quickship however, we cannot guarantee stock. If you do not see the fabric you wish to include in a project, please contact Customer Service to see if this pattern can be graded in at 800.334.7891.

Fabrics & Leathers

Please visit our Seating Fabrics page at darran.com/textilesleather

Camira
www.camirafabrics.com

800.334.789

CFStinson

www.cfstinson.com

800.841.6279

DesignTex

www.designtex.com

800.797.4949

Maharam

www.maharam.com

800.645.3943

Momentum Textiles

www.momentumtextiles.com

800.366.6839

Ultrafabrics

www.ultrafabricsinc.com

800.334.7891

Wollsdorf

www.wollsdorf.com

336.884.5005

Green Hides

www.greenhides.com

336.315.9720

Kvadrat

www.kvadrat.fabrics.com

+45 8953 1866

Application instructions must be specified on the purchase order or COM / COL submission form. In the absence of application instructions, DARRAN will apply materials accordingly.

CAL117

Not So Square Open Seating Fabric & Leather Program

All DARRAN seating products conform to California Technical Bulletin 117 as a minimum standard.

CAL133

To meet the California Technical Bulletin 133 flammability regulation, a combination of proper materials must be used to pass, as it tests the fire resistance of a finished product. Flame resistant fabric, a fire blocker material and special foam must be used to pass CAL133 fire codes.

Testing is available for all seating products with the following fees and considerations:

- If laboratory certification is not required, any style can be manufactured to comply with California Technical Bulletin 133 for \$75 list per yard required. (Customer's Own Materials must factor in additional yardage requirements based on repeat.)
- -The purchase order must clearly indicate the requirement of California Technical Bullet133
- If laboratory California Technical Bulletin 133 certification is required, the cost of testing a chair is \$820 NET, plus the cost of the chair and covering material.
- An additional lead time of 4 to 6 weeks is required for testing for CAL133.
- Once testing is completed, we will provide a certification letter specific to the sample tested for CAL133.
- DARRAN's manufacturing procedures for California TB 133 compliance are based on the testing of representative style with specific fabrics. Please contact Customer Service for an updated list of tested models.
- A copy of test certification is available upon request.

Combination fabrics

DARRAN is pleased to offer customers the design freedom of combination fabrics. When using fabric, vinyl or leather combinations, pricing will be as follows:

- When combining two materials of the same grade, pricing will be specified grade + 5%.
- If combining two materials of different grades or leather/ fabric combination, use the highest grade/price + 5%.
- If using COM or COL, pricing will be COM or COL + 5%. If both COM + COL are used in combination, use COL + 5%

Not So Square Open Seating Fabric & Leather Program

COM/COL ordering instructions

Please complete the COM Submission Form prior to ordering the fabric from the supplier. All COM fabrics must be approved prior to order submission. Please refer to our website or contact DARRAN Seating Customer Service for an updated list of preapproved COM fabrics. Application instructions must be specified on the purchase order or COM/COL approval form. In the absence of application instructions, DARRAN will apply materials in the best manner and cannot be held responsible for tailoring or application objections after upholstering. COM orders will be scheduled for production after receipt of the material. Packages must be clearly marked and the fabric mustbe first quality, continuous yardage.

COM/COL yardage requirments

The yardage requirements stated in this price list for each style are calculated using 54" wide, non-directional fabrics. For fabrics with a different width or for patterns with repeats, please refer to the below chart to calculate the additional percent of fabric required:

| Fabric Width | Plain Fabric | 2"- 14" Repeat | 15"- 19"Repeat | 20"- 27"Repeat | 28"- 36" Repeat |
|--------------|--------------|----------------|----------------|----------------|-----------------|
| 54" | 0 | 15% | 20% | 25% | 30% |
| 53" | 6% | 19% | 24% | 28% | 36% |
| 52" | 13% | 23% | 28% | 33% | 38% |
| 51" | 19% | 26% | 31% | 36% | 41% |
| 50" | 25% | 30% | 35% | 40% | 45% |
| 49" | 30% | 35% | 40% | 45% | 50% |
| 48" | 35% | 40% | 45% | 50% | 55% |
| 47" | 45% | 50% | 55% | 58% | 65% |

NOTE: Prior To Completion Of This Form, Please Refer To Our Graded In Materials Program For Preapproved Fabrics/Leathers.

COM/COL Approval

DARRAN Furniture Industries 2402 Shore Street, High Point, NC 27263 ATTN: Seating Division / COM/COL Approval TAG: DARRAN Quote Number

Shipping approved COM/COL materials

DARRAN Furniture Industries 2402 Shore Street, High Point, NC 27263 ATTN: Seating Division / COM/COL Approval TAG: DARRAN Quote Number

Please complete this form, attach a 6"x 6" sample and mail to the COM/COL APPROVAL address shown above.

This form can also be downloaded from our website at www.darran.com/leathers OR www. darran.com/fabrics

| Quote # | |
|------------------------------------|--|
| Dealer's Name | |
| Contact | |
| Address | |
| Telephone | |
| Email | |
| Chair Stlye | |
| Manufacturer | |
| Pattern Name | |
| Pattern Color | |
| Content | |
| Repeat | |
| | |
| | |
| | |
| Please specify any special require | ments and check the application above. |
| | |
| | |
| | |
| | |

Not So Square Open Seating Fabric & Leather Program

ATTACH 6" X 6" FABRIC/LEATHER SAMPLE HERE

NOTE

Actual Fabric/Leather samples needed instead of digital images. If digital images are sent in lieu of samples, DARRAN will only verify the pattern and will not take responsibility for color variances that cannot be verified due to printing limitations.

In the absence of application instructions, DARRAN will apply the material in the best manner and cannot be held responsible for tailoring or application objections after upholstering.

Unless otherwise instructed on the purchase order, excess COM materials will be recycled at the discretion of DARRAN after six months of the original product ship date.

The COM approval solely pertains to the application of the fabric onto the specified DARRAN seating product. DARRAN's approval or acceptance does not constitute any responsibility or warranty to the overall appearance, durability, flammability, defects, dye lot variations or colorfastness of the COM. It is the customer's responsibility to ensure the COM meets CAL 117 compliance and are first quality continuous goods.



RAILROAD



SETUP

Not So Square Open Features & Advantages

TFL tops

Thermally Fused Laminate tops feature a 45-pound density substrate with balanced 3-ply construction. Tops are 1-1/8" thick on MDF core that is comprised of 100% recycled and recovered wood fibers. All Thermally Fused Laminate tops are available with a 2mm flat PVC band. Laminates in wood grain patterns feature Timberline Texture providing the grain pattern of wood.

Chassis & pedestal

Chassis components are ¾" thick core of particle board or MDF rated EPP/SCS/CARB-II material with 3-ply balanced construction. Pedestal and Cabinets feature dowel construction reinforced with steel bracket plates, wood cleats, screws and glue. All units are standard with 1" adjustable glides that allow for leveling of units that are secured in solid wood glide blocks to prevent tearout.

Overhead cabinet construction Freestanding & wall mount

Freestanding Overhead storage cabinets are constructed of 1" and 3/4" thick core of particle board or MDF rated EPP/SCS/CARB-II material with 3-ply balanced construction. Panels are attached with cam fasteners in conjunction with dowels securely adhered with PVAc glue. All surface mount cabinets connect to work surface with anti-slip tape. Wall mount cabinets are mounted to the wall with steel "z" bracket attachment method using 5mm euro screws to attach to the back of the cabinet. All units ship with a steel "z" bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

Bookcase Construction

All chassis (sides, back, top and bottom panels) are constructed with 3/4" thick core of particle board or MDF rated EPP/SCS/CARB-II material with 3-ply balanced construction. Panels are attached with cam-lock fasteners in conjunction with dowels securely adhered with glue. Shelves on all units are 3/4" thick balance 3 ply panels. Optional heavy duty shelves are 1" thick lumber core balanced 5 ply construction.

Tackboards

Wall mount tackboards are constructed of .75" thick fiberboard. The fabric is precisely aligned and fitted to the tackboard with a sock on cover. Overhead storage tackboards are constructed of .75" thick fiberboard. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples. Wall mount cabinets are mounted to the wall with steel "z" bracket attachment method using 5mm euro screws to attach to the back of the cabinet. All units ship with a steel "z" bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

Adjustable glides

Glides provide 1" of vertical leveling adjustment. Glide bottom is durable metal. Glides are secured in solid wood blocks that are screwed and glued for durability.

Drawers

All drawers are constructed with mitre joint/dowel construction in a natural maple finish with four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts are vertically matched in balanced sets. Pencil trays are standard in all box drawers. Drawers are constructed of 1/2" thick wood grained wrapped 5 sided miterfolded construction with 1/4" thick hardboard bottoms reinforced for heavy weight capacity. Drawers have been tested and pass BIFMA 50,000 cycle test. All drawers are guaranteed lifetime with free replacement warranty. Optional veneered plywood drawers feature banded top and bottom edges for smoothness. Drawers are dowel joint constructed with a UV cured finish over maple veneers. Lifetime free replacement warranty. Optional wood drawer (any size) Option code P33 \$40 List per drawer

Drawer fronts

Drawer fronts are vertically matched in balanced sets. Doors feature vertical veneer bookmatched horizontally in sets of 2 / 4 and 6 doors. All tower fronts matched in vertical sets.

Suspensions

All casegoods utilize cold rolled steel zinc plated high-grade drawer suspensions. All suspensions are warranted for the lifetime of the product. Box and File drawers are full extension, featuring steel ball bearings for a smoother quieter range of motion and are rated 100lbs. Lateral file drawers are a progressive action full extension suspension and is rated at 150lbs. Veneer and High Pressure laminate casegoods feature soft close suspension. Thermally Fused Laminate casegoods feature standard suspensions. Lateral files include anti tip mechanism that allow only one drawer to be opened at a time.

Hinges

Units with doors include 95 degree swing hinges.

Not So Square Open Features & Advantages

Filing


Not SO square open features a highly durable black plastic extrusion that is securely fastened into a route on top of the drawer to support hanging files. An adjustable crossbar is provided for all file drawers that enables legal/letter filing front to back or side-to-side based on the drawer size.

| STANDARD VENEER | PREMIUM VENEER | HIGH PRESSURE LAMINATE | THERMALLY FUSED LAMINATE |
|-----------------|----------------|------------------------|--------------------------|
| N/A | N/A | N/A | MEC Ebony |
| N/A | N/A | N/A | MAC Amber Cherry |
| N/A | N/A | N/A | MOC KoKo Cherry |
| N/A | | N/A | |
| N/A | N/A | N/A | MTW Studio Teak Walnut |
| N/A | N/A | N/A | MSW Skyline |
| N/A | N/A | N/A | MWL Designer White |
| N/A | N/A | N/A | MWW Weathered Walnut |

HPL TOPS ON TFL PRODUCTS Add 10% - Available with flat edge only


Standard Profile

Flat Edge



Pulls

Factory Installed





PL-115 Matte Black PL-116 Matte Nickel PL-210 Anodized Aluminum







Optional grommets

Factory Installed

Grommets (Standard Location)

Specify Color and Left/Right/Center - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left), TM30-C (Center)
- Silver: TM31-R (Right), TM31-L (Left), TM31-C (Center)
- White: TM33-R (Right), TM33-L (Left), TM33-C (Center)

Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- Black: TM30-NS - Silver: TM31-NS - White: TM34-NS

Not So Square Open Grommets | Grommet Reference

TM50 Black 1-5/8" Dia.




Grommets (vertical surface)

Standard Location - \$50 ea.

- Black Plastic Vertical Surface: TM50-C (Bottom Center)

Non-Standard Location - \$95 ea.

- Black Plastic Vertical Surface: TM50-NS




Horizontal J-channel

Horizontal J-Channel wire management (Sku: W-1) is sold separately to conceal wire under worksurfaces.

Standard grommet location reference



Worksurface



Shared Door Storage Specify Right, Left or Center Grommet

true to craft

Overhead door detail



Panel Door

Grain direction

Worksurface



Shared Storage / End Cabinets



Connecting Surface

2023 price list darran.com (800) 334-7891

Interior Drawer Dimensions

| UNIT DEPTH DRAWER TYPE | | OVERALL DIMENSIONS | | | | IOR DRAN | WER | NOTES | |
|---------------------------|----------------|-----------------------|-----------|----------|---------|----------|----------|--------|-------------------------------------|
| | | | \bigvee | D | Н | W | D | Н | |
| | 15-5/8" Letter | 36" Box | 13-1/8 | 19-11/16 | 4 | 12-1/8 | 18-11/16 | 3-7/16 | Units less than 72" |
| | | 36" File | 13-1/8 | 19-11/16 | 9-13/16 | 12-1/8 | 18-11/16 | 9-5/16 | Units less than 72" |
| | | 30" Box | 13-1/8 | 19-11/16 | 4 | 12-1/8 | 18-11/16 | 3-7/16 | Units less than 72" |
| | | 30" File | 13-1/8 | 19-11/16 | 9-13/16 | 12-1/8 | 18-11/16 | 9-5/16 | Units less than 72" |
| | | 24" Box | 13-1/8 | 16-1/16 | 4 | 12-1/8 | 15-1/16 | 3-7/16 | Units less than 72" |
| | | 24" File | 13-1/8 | 16-1/16 | 9-13/16 | 12-1/8 | 15-1/16 | 9-5/16 | Units less than 72" |
| | 29" Lateral | 24" Box | 26-1/2 | 16-1/16 | 4 | 25-1/2 | 15-1/16 | 3-7/16 | Workstation Credenzas less than 82" |
| | | 24" File | 26-1/2 | 16-1/16 | 9-13/16 | 25-1/2 | 15-1/16 | 9-5/16 | Workstation Credenzas less than 82" |
| | 31" Lateral | 24" File | 28-9/16 | 16-1/16 | 9-13/16 | 27-9/16 | 15-1/16 | 9-5/16 | Multi-File Lateral File |
| | 35" Lateral | 24" Box | 32-1/2 | 16-1/16 | 4 | 31-1/2 | 15-1/16 | 3-7/16 | Workstation Credenzas over 83" |
| | | 24" File | 32-1/2 | 16-1/16 | 9-13/16 | 31-1/2 | 15-1/16 | 9-5/16 | Workstation Credenzas over 83" |

Filing for 24" Depth Units

13" Wide File Drawer - 16" Deep



Letter Front to Back

Legal Side to Side with File Rail

Filing for 30" & 36" Depth Units 13" Wide File Drawer - 20" Deep




Letter Front to Back






Legal Side to Side with File Rail



Letter Side to Side with File Rail


29" Lateral File Drawer

26-1/2" Wide File Drawer - 16-1/16" Deep




Legal Side to Side






Legal Side to Side Letter Front to Back with File Rail




Letter Front to Back with File Rail

35" Lateral File Drawer

32-1/2" Wide File Drawer - 16-1/16" Deep









Legal Side to Side

Legal Side to Side Letter Front to Back with File Rail

Letter Front to Back with File Rail

2023 price list (800) 334-7891 true to craft darran.com

Not So Square Open Wire management To Floor

DARRAN




W17 - Wire management cover


NOT SO square has special metal covers that attach to legs to handle wires to the floor. The cover may be attached to the inside of any leg with magnets for each removal.

All metal legs and supports have wire management covers available in silver, white or black.


Metal Leg Offering All metal is standard silver.

Cabinet Angular Foot Cast Metal Leg






Angular Base 30" and 61"



2023 price list (800) 334-7891 true to craft darran.com




NOT SO Square Open

Worksurface Tops Worksurface Tops

Click here to view statement of line

| 1 Select Model w" x d" x h" | Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Laminate Top Thermally Fused Laminate Chassis |
|---|----------------------|---|---|---|--|
| W X G X N 72 x 30 x 1.125 66 x 30 x 1.125 60 x 30 x 1.125 54 x 30 x 1.125 | 75 70 60 55 | "W" option N/A "W" option N/A "W" option N/A "W" option N/A | "P" Option N/A "P" Option N/A "P" Option N/A "P" Option N/A | "G" Option N/A "G" Option N/A "G" Option N/A "G" Option N/A | NSS72300P700M 681 NSS66300P700M 668 NSS60300P700M 580 NSS54300P700M 566 |
| | | | | | |
| | | | | | |
| 2 Select Finish Click to view finishes | 5 | | | | MAC MOC MEC MGW MTW MSW MWL |
| 3 Select Edge Click to view edges | | | | | Flat |
| 4 Select Hardwa Click to view details | re | | | | Hardware N/A |
| | | | | | |



Product Features

- 1.125 Inches thick melamine with PVC edge
- Surfaces 66" and over have two horizontal support rods
- Wire trough will be cut into top surface if specified
- Work surface may be connected to end leg, middle leg, case and privacy end panel

Options

Grommets (Standard Location)

Specify Color and Location (Right/Left/Center) - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left), TM30-C (Center)
- Silver: TM31-R (Right), TM31-L (Left), TM31-C (Center)
- White: TM34-R (Right), TM34-L (Left), TM34-C (Center)

Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- Black: TM30-NS
- Silver: TM31-NS
- White: TM34-NS


NOT SO Square Open

Worksurface Tops

Worksurface Tops With Exposed Plywood Edge

Click here to view statement of line

| 1 Select Model | Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Laminate Top Thermally Fused Laminate Chassis |
|--|----------------------|--|--|--|--|
| 72 × 30 × 1.5 66 × 30 × 1.5 60 × 30 × 1.5 54 × 30 × 1.5 | 75 70 60 55 | NSS7230OP800W 1647 NSS6630OP800W 1632 NSS6030OP800W 1620 NSS5430OP800W 1605 | "P" Option N/A "P" Option N/A "P" Option N/A "P" Option N/A | "G" Option N/A "G" Option N/A "G" Option N/A "G" Option N/A | "M" Option N/A "M" Option N/A "M" Option N/A "M" Option N/A |
| | | | | | |
| | | | | | |
| 2 Select Finish Click to view finishe | WEPB s | | | | |
| | | | | | |
| 3 Select Edge Click to view edges | Ext | posed | | | |
| 4 Select Hardwa | | grdware | | | |
| Click to view details | N/ | A | | | |



Product Features

- 1.125" Tops w/ exposed plywood edge
- Surfaces 66" and over have two horizontal support rods
- Wire trough will be cut into top surface if specified
- Work surface may be connected to end leg, middle leg, case and privacy end panel

Options

Grommets (Standard Location)

Specify Color and Location (Right/Left/Center) - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left), TM30-C (Center)
- Silver: TM31-R (Right), TM31-L (Left), TM31-C (Center)
- White: TM34-R (Right), TM34-L (Left), TM34-C (Center)

Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- Black: TM30-NS
- Silver: TM31-NS
- White: TM34-NS

Top

- MMB: Markerboard top - \$60

Exposed Plywood Edge

- WEPB: Exposed Plywood Edge w/ Baltic Birch Veneer n/c
- Only available with WCF Clear Coat Finish

Plank Match Veneer


Prices below are in addition to "M" product pricing


- RPMV72: 72 x 30 Top: \$ 1,255
- RPMV66: 66 x 30 Top: \$1,225
- RPMV60: 60 x 30 Top: \$1,195
- RPMV54: 54 x 30 Top: \$1,195

NOT SO Square Open

Legs End Leg

Click here to view statement of line





Product Features

- One half inch thick steel legs have been laser cut and bent to create unique not so square shape
- Specify end legs with single connection and center legs to connect two tops together
- Standard Silver Leg (optional White, Black)
- Top connection of leg is reinforced with turn downs that will keep tops from warping

Options

Cover

- W17: Wire Management cover - \$80 (Attaches to the leg by magnets)

Premium Finish Option


- Specify leg Metal Finish color \$100 per leg
- MFW: White, MFB: Black


NOT SO Square Open

Legs

Connecting Leg

Click here to view statement of line





Product Features

- One half inch thick steel legs have been laser cut and bent to create unique not so square shape
- Specify end legs with single connection and center legs to connect two tops together
- Standard Silver Leg (optional White, Black)
- Top connection of leg is reinforced with turn downs that will keep tops from warping

Options

Cover

- W17: Wire Management cover - \$80 (Attaches to the leg by magnets)

Premium Finish Option


- Specify leg Metal Finish color \$100 per leg
- MFW: White, MFB: Black


NOT SO Square Open


Adjustable Height Desk And Units

Adjustable Height Desk - With Acrylic Half Modesty Panel

Click here to view statement of line







Product Features

- Acrylic half modesty panel (White)
- Door storage pedestals
- Electronic mechanism with programmable lift
- Max load on frame is 220 lbs
- Metal parts include 5 year warranty
- Motor includes 2 year warranty

Notes

- *Grommets and power pods locations need to be specified on drawings when ordering
- Shipped KD

Options

Accessories

- K28: Articulating Keyboard w/ Mouse Pad - \$390

Desk Light

- LT-BEND: Bend Light - specify location - \$155

Grommets (Standard Location)

Specify Color and Location Right/Left - \$50 ea.

- Black: TM30-R (Right), TM30-L (Left)
- Silver: TM31-R (Right), TM31-L (Left)
- White: TM34-R (Right), TM34-L (Left)

Grommets (Non-Standard Location)

Provide drawing w/ Grommet Location and Specify Color - \$95 ea.

- Black: TM30-NS
- Silver: TM31-NS
- White: TM34-NS


Modesty

- DM: Delete Modesty Option - Deduct \$350

NOT SO Square Open

Adjustable Height Desk And Units Adjustable Height Mechanism

Click here to view statement of line





Product Features

- Electronic mechanism with programmable lift
- Max load on frame is 220 lbs
- Metal parts include 5 year warranty
- Motor includes 2 year warranty

Options

Base


- MFB: Black Metal Finish n/c
- MFW: White Metal Finish n/c


NOT SO Square Open

Adjustable Height Desk And Units Single Leg Pedestal

Click here to view statement of line

| 1 Select Model w" x d" x h" | Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Laminate (| ate Top Chassis |
|--|--------|--|--|--|----------------------------|--------------------|
| Left Hinge Storage 8 x 30 x 28.875 | 50 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS3009OP603M | 2845 |
| Right Hinge Storage 8 x 30 x 28.875 | 50 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS3009OP604M | 2845 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 2 Select Finish Click to view finishe | S | | | | MAC MOC | |
| | | | | | MEC MGW | |
| | | | | | MTW MSW MWL | |
| | | | | | MWW | |
| 3 Select Edge | | | | | | |
| Click to view edges | | | | | Edge N/A | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 4 Select Hardwa Click to view details | | | | | Hardware N/A | |
| | | | | | | |
| | | | | | | |
| | | | | | | |





Product Features

- Electronic mechanism with programmable lift
- Max load on frame is 175 lbs per leg
- Metal parts include 5 year warranty
- Motor includes 2 year warranty
- Single leg features left and right hinge cabinet
- Cabinet door is touch latch


Notes


- Interior dimensions of storage area: 22" H, 12.75" D, 7.75" W

NOT SO Square Open

Adjustable Height Desk And Units Double Leg Pedestal

Click here to view statement of line





Product Features

- Electronic mechanism with programmable lift
- Max load on frame is 175 lbs per leg
- Metal parts include 5 year warranty
- Motor includes 2 year warranty
- Single leg features left and right hinge cabinet
- Cabinet door is touch latch

NOT SO Square Open

Storage Tower Kits - Kit #1
48" H Bridge Unit, Open Unit, Overhead W/ 2 Sided Access

Click here to view statement of line

| 1 Select Model & e e e e e e e e e e e e e e e e e e | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Laminate Top Thermally Fused Laminate Chassis |
|--|--|--|--|--|
| Storage Left Hinge (1) 10 x 18 x 48 75 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS1018OP709M 1065 |
| Storage Right Hinge (1) 10 x 18 x 48 75 Overhead Open Storage - 2 Side | "W" option N/A d Access (1) | "P" Option N/A | "G" Option N/A | NSS1018OP710M 1065 |
| 61 x 18 x 10 90 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS6118OP711M 863 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 2 Select Finish Click to view finishes | | | | MAC MOC |
| Metal Finish | | | | MEC MGW MTW |
| MFS Silver. Additional Metal Finishes are available, options | | | | MSW MWL MWW |
| available, options | | | | IVIVVV |
| 3 Select Edge Click to view edges | | | | Edge |
| | | | | N/Ã |
| | | | | |
| | | | | |
| 4 Select Hardware | | | | Hardware |
| Click to view details | | | | N/A |
| | | | | |
| | | | | |
| | | | | 1 |



Product Features

Kit Consists of:

- NSS1018OP709 Storage left hinge (1)
- NSS1018OP710 Storage right hinge (1)
- NSS6118OP711 Overhead open storage 2 sided access (1)
- Standard Silver Feet and Leg (optional White, Black)
- Touch latch

Options

Legs

- D8: Delete Legs (extended fronts to the floor) - n/c

Premium Finish Option

- Specify foot Metal Finish color \$30 per foot
- MFB: Black, MFW: White

NOT SO Square Open

Storage Tower Kits - Kit #2 48" H Bridge Unit, Open Unit, Overhead W/1 Sided Access

Click here to view statement of line

| 1 Select Model Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Lam Thermally Fused Laminat | |
|--|---|--|--|--|------------|
| w x u x II | Standard Veneer Chassis | Tremium veneer chassis | Verieer Cridosis | Thermally Fuseu Laminat | e ClidSSIS |
| Storage Left Hinge (1) 10 x 18 x 48 75 Storage Right Hinge (1) | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS1018OP709M | 1065 |
| 10 x 18 x 48 75 Overhead Open Storage - 1 Side | "W" option N/A ed Access (1) | "P" Option N/A | "G" Option N/A | NSS1018OP710M | 1065 |
| 61 x 18 x 10 90 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS6118OP731M | 863 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 2 Select Finish | | | | MAC | |
| Click to view finishes | | | | MOC MEC | |
| Metal Finish | | | | MGW MTW | |
| MFS Silver. Additional Metal Finishes are | | | | MSW MWL | |
| available, options | | | | MWW | |
| 3 Select Edge | | | | | |
| Click to view edges | | | | Edge N/A | |
| | | | | | |
| | | | | | |
| | | | | | |
| 4 Select Hardware | | | | Hardware | |
| Click to view details | | | | N/A | |
| | | | | | |
| | | | | | |
| | | | | | |



Product Features

Kit Consists of:

- NSS1018OP709 Storage left hinge (1)
- NSS1018OP710 Storage right hinge (1)
- NSS6118OP731 Overhead open storage 1 sided access (1)
- Standard Silver Feet and Leg (optional White, Black)
- Touch latch

Options

Legs

- D8: Delete Legs (extended fronts to the floor) - n/c

Premium Finish Option

- Specify foot Metal Finish color \$30 per foot
- MFB: Black, MFW: White

NOT SO Square Open

Storage Tower Kits - Kit #3

48" H Bridge Unit, Connecting Surface, Overhead W/ 2 Sided Access

Click here to view statement of line

| 1 Select Model Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Lam | |
|--|--|--|--|---------------------------------|------|
| w x u x ii | | | | , | |
| Storage Left Hinge (1) 10 x 18 x 48 75 Storage Right Hinge (1) | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS1018OP709M | 1065 |
| 10 x 18 x 48 75 Overhead Open Storage - 2 Sic | "W" option N/A ded Access (1) | "P" Option N/A | "G" Option N/A | NSS1018OP710M | 1065 |
| 61 x 18 x 10 90 Connection Surface (1) | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS6118OP711M | 863 |
| 61 x 18 x 1.125 45 Connecting Leg | "W" option N/A | | "G" Option N/A | NSS6118OP701M | 530 |
| 61 x 3 x .5 90 | "W" Option N/A | | "G" Option N/A | ASB61DT | 1122 |
| | | | | | |
| 2 Select Finish Click to view finishes | | | | MAC MOC MEC | |
| Metal Finish MFS Silver. Additional Metal Finishes are available, options | | | | MGW MTW MSW MWL MWW | |
| 3 Select Edge Click to view edges | | | | Edge N/A | |
| 4 Select Hardware Click to view details | | | | Hardware N/A | |
| | | | | | |



Product Features

Kit Consists of:

- NSS1018OP709 Storage left hinge (1)
- NSS1018OP710 Storage right hinge (1)
- NSS6118OP701 Connecting surface (1)
- NSS6118OP711 Overhead open storage 2 sided access (1)
- ASB61DT Connecting Leg (2)
- Standard Silver Feet (optional White, Black)
- Touch latch

Notes

 Clearance from connecting surface to bottom of overhead equals 9.25" height

Options

Legs

- D8: Delete Legs (extended fronts to the floor) - n/c

Premium Finish Option

- Specify foot/leg Metal Finish color \$30 per foot, \$100 per leg
- MFB: Black, MFW: White

NOT SO Square Open

Storage Tower Kits - Kit #4

48" H Bridge Unit, Connecting Surface, Overhead W/ 1 Sided Access

Click here to view statement of line

| 1 Select Model | Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Lam | |
|---|-------------------|--|--|--|---------------------|------|
| w x u x ii | - | | | | | |
| Storage Left Hinge (1) 10 x 18 x 48 Storage Right Hinge (1) | 75 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS1018OP709M | 1065 |
| | 75 e - 1 Sideo | "W" option N/A d Access (1) | "P" Option N/A | "G" Option N/A | NSS1018OP710M | 1065 |
| | 90 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS6118OP731M | 863 |
| 61 x 18 x 1.125 Connecting Leg | 45 | "W" option N/A | | "G" Option N/A | NSS6118OP701M | 530 |
| | 90 | "W" Option N/A | | "G" Option N/A | ASB61DT | 1122 |
| | | | | | | |
| O Calant Finish | | | | | | |
| 2 Select Finish Click to view finishes | | | | | MAC MOC MEC | |
| Metal Finish MFS Silver. Additional | | | | | MGW MTW MSW | |
| Metal Finishes are available, options | | | | | MWL MWW | |
| 3 Select Edge Click to view edges | | | | | Edge | |
| | | | | | N/A | |
| | | | | | | |
| | | | | | | |
| 4 Select Hardware Click to view details | е | | | | Hardware N/A | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



Product Features

Kit Consists of:

- NSS1018OP709 Storage left hinge (1)
- NSS1018OP710 Storage right hinge (1)
- NSS6118OP701 Connecting surface (1)
- NSS6118OP731 Overhead open storage 1 sided access (1)
- ASB61DT Connecting Leg (1)
- Standard Silver Feet (optional White, Black)
- Touch latch

Notes

 Clearance from connecting surface to bottom of overhead equals 9.25" height

Options

Legs

- D8: Delete Legs (extended fronts to the floor) - n/c

Premium Finish Option

- Specify foot/leg Metal Finish color \$30 per foot, \$100 per leg
- MFB: Black, MFW: White

NOT SO Square Open

End Cabinets
End Cabinet / Door Storage

Click here to view statement of line

| 1 Select Model w" × d" × h" | Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Laminate Top Thermally Fused Laminate Chassis |
|---|--------|--|--|--|--|
| 4 Door | 240 | #1A/P A1/A | #D! 0 .: N/A | #6" 6 ii N/A | Necessary |
| 61 x 18 x 28.875 2 Door | 210 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS6118OP712M 2031 |
| 30 x 18 x 28.875 | 105 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS3018OP712M 1210 |
| 2 Select Finish | | | | | , MG |
| Click to view finishe | es | | | | MAC MOC MEC MGW |
| MFS Silver. Additio Metal Finishes are available, options | nal | | | | MTW MSW MWL MWW |
| 3 Select Edge Click to view edges | 5 | | | | Edge N/A |
| 4 Select Hardwa Click to view details | | | | | PL-115 Matte Black PL-105 Matte Nickel PL-106 Matte Nickel |





Product Features

- Adjustable laminate shelf per door section
- Standard Silver Feet (optional White, Black)
- Flat on ends

Options

Door

- D7: Delete storage doors (pair) Deduct \$100
- D9SC: Soft Close Door Hinges \$20 per door

Legs


- D8: Delete Legs (extended fronts to the floor) n/c **Premium Finish Option**
- Specify foot Metal Finish color \$30 per foot
- MFB: Black, MFW: White

NOT SO Square Open

End Cabinets

End Cabinet / 2 Drawer Lateral File

Click here to view statement of line





Product Features

- File drawers extend 100% with cushion in-out stops full access
- File drawers reinforced for heavy storage capacity
- Features ball bearing suspensions, suspensions are full extension
- Standard Silver Feet (optional White, Black)

Options

Drawer

- P33: Wood Drawer Upgrade - \$45 per drawer

Legs

- D8: Delete Legs (extended fronts to the floor) - n/c

Premium Finish Option


- Specify foot Metal Finish color \$30 per foot
- MFB: Black, MFW: White

NOT SO Square Open

Benches And Mobile Peds Benches - Box/File Storage Right And Left

Click here to view statement of line

| 1 Select Model | Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Lam Thermally Fused Laminate | |
|---|--------|--|--|--|--|--------------|
| w" x d" x h" | ħŧ | Standard Vericer Cridosis | Tremium veneer enassis | veneer enassis | Thermally Fuseu Laminate | e Cilassis |
| Left Box/File 70.5 x 18 x 23 | 236 | "\A/" | "P" Option N/A | #C" Oction NI/A | NICC7040C40C4N4 | 2500 |
| 70.5 x 18 x 23 58.5 x 18 x 23 | 236 | "W" option N/A "W" option N/A | "P" Option N/A | "G" Option N/A "G" Option N/A | NSS7018CA064M NSS5818CA064M | 2509 2356 |
| Right Box/File | 210 | W Option WA | r Option N/A | G Option WA | 14333616CA004W | 2330 |
| 70.5 x 18 x 23 | 225 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS7018CA065M | 2509 |
| 58.5 x 18 x 23 | 210 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS5818CA065M | 2356 |
| | | | | | | |
| 2 Select Finish Click to view finish Metal Finish MFS Silver. Addition Metal Finishes are available, options | onal | | | | MAC MOC MEC MGW MTW MSW MWL MWW | |
| 3 Select Edge Click to view edge | S | | | | Edge N/A | |
| 4 Select Hardw Click to view detail | | | | | PL-115 Matte Black PL-116 Matte Nickel PL-210 Auminum | nodized |



Product Features

- File drawers extend 100% with cushion in-out stops full access
- File drawers reinforced for heavy storage capacity
- Full extension drawers locking
- Standard Silver Feet (optional White, Black)

Notes

- Specify bench runoff support when using w/ work surface top end leg must be specified
- 58.5" W unit will receive a 29" W cushion and a 70.5" W unit will receive a 35" W cushion.

Options

Cushion

- BC18: Bench Cushion
- Specify location, number of cushions and fabric grade.
- Cushions sold individually w/a max width 35" (to match storage section depth). 29" W requires .75 yd, 35" W requires 1 yd.

Drawer

- P33: Wood Drawer Upgrade - \$45 per drawer

Legs

- D8: Delete Legs (extended fronts to the floor) - n/c

Support

- 23BRT30: Bench Runoff Support - \$205

Premium Finish Option

- MFB: Black Metal Finish \$30 per foot
- MFW: White Metal Finish \$30 per foot

BC18 Cushion fabric grades.

| 4 5 6 7 8 352 370 388 406 424 9 10 11/L1 12 13/ | COM 261 | COL 280 | 1 298 | 2 316 | 3 334 |
|---|------------|------------|----------|----------|---------------|
| 9 10 11/ L1 12 13/ | • | - | - | 7 | - |
| 442 460 478 496 532 | | | | | 424 13/ L2 |
| | 442 | 460 | | 496 | 532 |

NOT SO Square Open

Benches And Mobile Peds Benches - Box File/Storage Right And Left

Click here to view statement of line

| 1 Select Model | Weight | Standard Veneer Top | Premium Veneer Top | High Pressure Laminate Top | Thermally Fused Lami | |
|--|--------|-------------------------|------------------------|----------------------------|---|---------|
| w" x d" x h" | Ħ | Standard Veneer Chassis | Premium Veneer Chassis | Veneer Chassis | Thermally Fused Laminate | e Chass |
| Left Box/File 29 x 18 x 22 Right Box/File | 110 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS2918OP707M | 1441 |
| 29 x 18 x 22 | 110 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS2918OP706M | 1441 |
| | | | | | | |
| 2 Select Finish Click to view finishes | 5 | | | | MAC MOC | |
| Metal Finish MFS Silver. Addition Metal Finishes are available, options | al | | | | MEC MGW MTW MSW MWL MWW | |
| 3 Select Edge Click to view edges | | | | | Edge N/A | |
| 4 Select Hardwa Click to view details | re | | | | PL-115 Matte Black PL-136 Matte Nickel PL-10 A Aluminum | |





Product Features

- File drawers extend 100% with cushion in-out stops full access
- File drawers reinforced for heavy storage capacity
- Full extension drawers locking
- Standard Silver Feet (optional White, Black)

Note

 Specify bench runoff support when using w/ work surface top - end leg must be specified

Options

Cushion

- BC18: Bench Cushion
- Specify location, number of cushions and fabric grade.
- Cushions sold individually w/a max width 35" (to match storage section depth). 29" W requires .75 yd, 35" W requires 1 yd.

Drawe

- P33: Wood Drawer Upgrade - \$45 per drawer

Support

- 23BRT30: Bench Runoff Support - \$205

Premium Finish Option

- MFB: Black Metal Finish \$30 per foot
- MFW: White Metal Finish \$30 per foot

BC18 Cushion fabric grades.


| COM | COL | 1 | 2 | 3 |
|-----|-----|--------|-----|--------|
| 270 | 289 | 298 | 312 | 326 |
| 4 | 5 | 6 | 7 | 8 |
| 340 | 354 | 368 | 382 | 396 |
| 9 | 10 | 11/ L1 | 12 | 13/ L2 |
| 410 | 424 | 438 | 452 | 480 |

NOT SO Square Open

Benches And Mobile Peds

Mobile Peds - Box Box File Lock, Casters

Click here to view statement of line









Product Features

- File drawers extend 100% with cushion in-out stops full access
- File drawers reinforced for heavy storage capacity
- Full extension drawers locking
- Locking black casters are standard

Options

Caster

- CST10: Silver caster upgrade - \$100

Cushion

- BC16: Bench Cushion
- Specify fabric grade (1 yd. required)
- Cushion can only be added to PD423

Drawer

- P33: Wood Drawer Upgrade - \$45 per drawer

Premium Finish Option

- MFB: Black Metal Finish \$30 per foot
- MFW: White Metal Finish \$30 per foot BC16 Cushion fabric grades for PD423.

| 249 | N/A | 1 285 | 303 | 3 321 |
|-----|-----|----------|-----|----------|
| 249 | IVA | 265 | 303 | 321 |
| 4 | 5 | 6 | 7 | 8 |
| 339 | 357 | 375 | 393 | 411 |
| 9 | 10 | 11/ L1 | 12 | 13/ L2 |
| 429 | 447 | 465 | 483 | 519 |

NOT SO Square Open

Shared Storage
Shared Door Storage

Click here to view statement of line

| 1 Select Model | Weight | Standard Veneer Top Standard Veneer Chassis | Premium Veneer Top Premium Veneer Chassis | High Pressure Laminate Top Veneer Chassis | Thermally Fused Laminate Top Thermally Fused Laminate Chassis |
|---|--------|--|--|--|--|
| 75.5 x 24 x 42 | 320 | "W" option N/A | "P" Option N/A | "G" Option N/A | NSS7524OP724M 3317 |
| 2 Select Finish Click to view finishes Metal Finish MFS Silver. Addition | | | | | MAC MOC MEC MGW MTW MSW |
| Metal Finishes are available, options 3 Select Edge | | | | | MWL MWW |
| Click to view edges | | | | | Flat |
| 4 Select Hardwa Click to view details | re | | | | PL-115 Matte Black PL-116 Matte Nickel PL-210 Anodized Aluminum |



Product Features

- Sections standard w/ adjustable shelf
- Standard Silver Feet (optional White, Black)

Options

Doo

- D9SC: Soft Close Door Hinges - \$20 per door

Refrigerator

- REF-02: Refrigerator Insert Kit - \$220

Specify left or right location

Trash Can

- TRC230: Trash Can Insert - (2) 30 gal containers - \$495

Specify left or right location

Premium Finish Option

- MFB: Black Metal Finish \$30 per foot
- MFW: White Metal Finish \$30 per foot

NOT SO Square Open

Bar Height Table

Click here to view statement of line



| Standard Veneer Top | Premium Veneer Top | High Pressure Laminate Top | Thermally Fused Laminate Top |
|----------------------------------|--|---|---|
| Standard Veneer Chassis | Premium Veneer Chassis | Veneer Chassis | Thermally Fused Laminate Chassis |
| "W" option N/A "W" option N/A | "P" Option N/A "P" Option N/A | NSS7624OP719 3340 NSS5124OP719 3082 | "M" Option N/A "M" Option N/A |
| | | | |
| | | | |
| | | GHC GOC GCM | |
| | | GEW GWL GSTV +10% GSLV +10% | |
| | | Edge N/A | |
| | | Hardware N/A | |
| | Standard Veneer Chassis "W" option N/A | Standard Veneer Chassis "W" option N/A "P" Option N/A | Standard Veneer Chassis "W" option N/A "W" option N/A "W" option N/A "P" Option N/A "SS51240P719 3082 GHC GOC GCM GEW GWL GSTV +10% GSLV +10% Edge N/A |

Product Features

- No shiny laminates can be used
- Standard Silver Base (optional White, Black)
- Tops are only available in DARRAN standard HPL
- Tops may be ganged lengthwise together
- Two standard lengths and one standard width offered

Options

Accessories

- 719WM: Wire Manager for Stand Up Table \$70
- 719PP: Power Pod 2 Plug (Black) \$120

Premium Finish Option

- Specify base Metal Finish color \$160 per base
- MFB: Black, MFW: White

NOT SO Square Open

Bar Height Table And Bar Stools Short Back Bar Stool

Click here to view statement of line

1 Model NSS3016OP720 COM COL 2 3 4 5 6 7 8 1542 1565 1588 1611 1634 1657 1680 1749 1772 1703 1726

w" x d" x h" 16 x 16 x 30 Arm Height -Seat Height 30 Inside Seat Depth 14 Inside Seat Width 16 **Upholstery Requirements** Fabric yds: 1.25 Leather Sq. Ft.: 20 Carton Weight: 30

2 Select Finish Click to view finishes

3 Combination Fabrics

Click to view finishes

Metal Finish MFS Silver. Additional Metal Finishes are available, options

Combination Fabric Option Not Available



Product Features

- A special sewing technique is available "rail" tufting at an upcharge with a longer lead time
- Bar Stools have nylon protectors on foot rails and glides
- Standard Silver Base (optional White, Black)

Options

Tufting

- RT01: Rail Tuft - \$215

Yardage required will increase to 1.75 yards

Premium Finish Option

- Specify base Metal Finish color \$160 per base
- MFB: Black, MFW: White

2022 price list (800) 334-7891 SIN: 33721 true to craft darran.com

9

10

1795

11/L1

1818

12

1841

13/L2

1887

NOT SO Square Open

5

1503

6

1522

7

1541

8

1560

9

1579

10

1598

11/L1

1617

12

1639

13/L2

1674

Bar Height Table And Bar Stools Backless Bar Stool

Click here to view statement of line

4

1484

1 Model NSS3016OP721

x d" x h" Upholstery Requirements x 16 x 30 Fabric yds: 1 Leather Sq. Ft.: 18 n Height - Carton Weight: 30

COL

1409

1427

2

1446

3

1465

COM

1390

w" x d" x h"
16 x 16 x 30
Arm Height Seat Height 30
Inside Seat Depth 16
Inside Seat Width 16

2 Select Finish

Click to view finishes

Metal Finish MFS Silver. Additional Metal Finishes are available, options 3 Combination Fabrics

Click to view finishes

Combination Fabric Option Not Available



Product Features

- A special sewing technique is available "rail" tufting at an upcharge with a longer lead time
- Bar Stools have nylon protectors on foot rails and glides
- Standard Silver Base (optional White, Black)

Options

Tufting

- RT01: Rail Tuft - \$160

Yardage required will increase to 1.75 yards


Premium Finish Option


- Specify base Metal Finish color \$160 per base
- MFB: Black, MFW: White

NOT SO Square Open

Fabric Privacy And Modesty Tack Panels 24" High Fabric Panels

Click here to view statement of line





Product Features

- Fabric tack panels are double sided with angled sides
- Panels are mounted between desks
- Specify one for each adjustable table top
- Specify only one between two stationary desks
- Specify panel that fits work surface top size

Notes

- Gives Privacy Approximately 12" Above And 12" Below Work surface
- Tackboards are not available in COL, Leather or Vinyl materials. FABRIC


NSS4824OP718 Fabric grades.


| COM | COL | 1 | 2 | 3 |
|-----|-----|--------|-----|--------|
| 477 | N/A | 533 | 560 | 587 |
| | | | | |
| 4 | 5 | 6 | 7 | 8 |
| 614 | 641 | 668 | 695 | 722 |
| | | | | |
| 9 | 10 | 11/ L1 | 12 | 13/ L2 |
| 749 | 776 | 803 | 830 | 884 |

NOT SO Square Open

Fabric Privacy And Modesty Tack Panels 24" High Fabric Panels

Click here to view statement of line





Product Features

- Fabric tack panels are double sided with angled sides
- Panels are mounted between desks
- Specify one for each adjustable table top
- Specify only one between two stationary desks
- Specify panel that fits work surface top size

Notes

- Gives Privacy Approximately 12" Above And 12" Below Work surface
- Tackboards are not available in COL, Leather or Vinyl materials. FABRIC ONLY


NSS4124OP718 Fabric grades.


| COM | COL | 1 | 2 | 3 |
|-----|-----|--------|-----|--------|
| 449 | N/A | 495 | 518 | 541 |
| | | | | |
| 4 | 5 | 6 | 7 | 8 |
| 564 | 587 | 610 | 633 | 656 |
| | | | | |
| 9 | 10 | 11/ L1 | 12 | 13/ L2 |
| 679 | 702 | 725 | 748 | 794 |

NOT SO Square Open

Fabric Privacy And Modesty Tack Panels 24" High Fabric Panels

Click here to view statement of line





Product Features

- Fabric tack panels are double sided with angled sides
- Panels are mounted between desks
- Specify one for each adjustable table top
- Specify only one between two stationary desks
- Specify panel that fits work surface top size

Notes

- Gives Privacy Approximately 12" Above And 12" Below Work surface
- Tackboards are not available in COL, Leather or Vinyl materials. FABRIC ONLY

NSS3024OP718 Fabric grades.


| COM | COL | 1 | 2 | 3 |
|-----|-----|--------|-----|--------|
| 440 | N/A | 476 | 494 | 512 |
| 4 | 5 | 6 | 7 | 8 |
| 530 | 548 | 566 | 584 | 602 |
| 9 | 10 | 11/ L1 | 12 | 13/ L2 |
| 620 | 638 | 656 | 674 | 710 |

NOT SO Square Open

Acrylic Privacy/Modesty Panels Acrylic Privacy/Modesty Panels

Click here to view statement of line

| 1 Select Model w" x d" x h" | Weight | Cor | mponent | | |
|--|--------------|------------------------------|--------------|--|--|
| For 72" Work surfaces 48 x .5 x 36 For 60" or 66" Work sur | 30 | NSS48360P717 NSS41360P717 | 1173 1028 | | |
| For 54" Work surfaces | 19 | NSS3036OP717 | 742 | | |
| | 20 | NSS4824OP717 | 784 | | |
| For 60" or 66" Work sur 41 x .5 x 24 For 54" Work surfaces | rtaces 17 | NSS4124OP717 | 711 | | |
| | 11 | NSS3024OP717 | 566 | | |
| | | | | | |
| | | | | | |
| 2 Select Finish Click to view finishes | Finish N | J/A | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 3 Select Edge | Edge | | | | |
| Click to view edges | N/A | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 4 Select Hardwar | | dware | | | |
| Click to view details | N/A | A. | | | |
| | | | | | |
| | | | | | |
| | | | | | |



Product Features


- 24" High panel enables approx. 12" of privacy above the work surface and 12" below $\,$
- 36" High panel enables approx. 18" of privacy above the work surface and 18" below $\,$
- Acrylic panels are opaque white
- Specify one for each adjustable table top
- Specify only one between two stationary desks
- Specify panel that fits top size noted

NOT SO Square Open

Acrylic Privacy/Modesty Panels Half Acrylic Privacy Panel

Click here to view statement of line

| 1 Select Model w" x d" x h" | Weight | (| Component | i | |
|---|------------|---------------|-----------|---|--|
| | | | | | |
| For 72" Work surfaces 48 x .5 x 18 | 30 | NSS48180P717 | 645 | | |
| For 60" or 66" Work su 41 x .5 x 18 For 54" Work surfaces | 26 | NSS4118OP717 | 580 | | |
| 30 x .5 x 18 For 72" Work surfaces | 19 | NSS3018OP717 | 452 | | |
| 48 x .5 x 12 For 60" or 66" Work su | 10 | NSS48120P717 | 501 | | |
| 41 x .5 x 12 For 54" Work surfaces | 9 | NSS4112OP717 | 443 | | |
| 30 x .5 x 12 | 7 | NSS3012OP717 | 326 | | |
| | | | | | |
| | | | | | |
| 2 Select Finish Click to view finishes | Finish | N/A | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 3 Select Edge | | | | | |
| Click to view edges | Edg N/A | ge A | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 4 Select Hardwa | ro | .d | | | |
| Click to view details | N/ | ardware 'A | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | - | |




Product Features


- 12" High panel only provides above surface privacy
- 18" High panel only provides above surface privacy
- Acrylic panels are opaque white
- End panel attaches to end of table with end leg
- End panels used to end run of units for privacy
- Panels are mounted between desks
- Specify one for each adjustable table top
- Specify only one between two stationary desks
- Specify panel that fits top size noted

NOT SO Square Open

Acrylic Privacy/Modesty Panels Overhead Privacy Panel

Click here to view statement of line





Product Features


- Provides privacy on each side of the overhead

NOT SO Square Open

Ultraclear Glass Privacy/Modesty Panels 12" High Glass Panels

Click here to view statement of line






Product Features


- 1/2" Thick clear glass top with flat polished edges

NOT SO Square Open

Ultraclear Glass Privacy/Modesty Panels 18" High Glass Panels

Click here to view statement of line





Product Features

- 1/2" Thick clear glass top with flat polished edges









COMPUTER SUPPORT single monitor arm

Style Number List Price
MA1 280

COMPUTER SUPPORT double monitor arm

Style Number List Price
MA2 450

COMPUTER SUPPORT triple monitor arm

Style Number List Price
MA3 530

COMPUTER SUPPORT quadruple monitor arm

Style Number List Price
MA4 705

Specifications

- Available in black or silver
- Desk clamp and mounting included
- Easy assembly and flexibility
- Elastic painting process for a durable and beautiful finish
- Gas spring tension adjustment for counter-balance height adjustment for monitors 1-8 KG
- Gas spring tested to 50,000 repetitions
- Hidden cable management

Specifications


- Available in black or silver
- Desk clamp and mounting included
- Easy assembly and flexibility
- Elastic painting process for a durable and beautiful finish
- Gas spring tension adjustment for counter-balance height adjustment for monitors 1-8 KG
- Gas spring tested to 50,000 repetitions
- Hidden cable management


Specifications

- Available in black or silver
- Desk clamp and mounting included
- Easy assembly and flexibility
- Elastic painting process for a durable and beautiful finish
- Gas spring tension adjustment for counter-balance height adjustment for monitors 1-8 KG
- Gas spring tested to 50,000 repetitions
- Hidden cable management


Specifications

- Available in black
- Desk clamp and mounting included
- Easy assembly and flexibility
- Elastic painting process for a durable and beautiful finish
- Gas spring tension adjustment for counter-balance height adjustment for monitors 1-8 KG
- Gas spring tested to 50,000 repetitions
- Hidden cable management









COMPUTER SUPPORT cpu retractable cradle

Style Number List Price
K18 205

COMPUTER SUPPORT articulating keyboard tray

Style Number List Price
Factory Installed
K28 390
Field Installed
K28F 415

DOOR MODIFICATIONS soft close door hinge

Style Number List Price
D9SC 20 Per door

DOOR MODIFICATIONS delete doors

Style Number List Price
D6 N/C

Specifications

- Black Metal CPU Carriage
- Full 360ç swivel capability allows easy access to rear of CPU for cables / wires
- Track allows 8- 1/2" extension
- Width Adjustment 5-1/2" to 9-1/4"
- Height adjustment 14- 5/8" to 20- 1/2"
- Black epoxy finish

Notes

- Factory Installed

Specifications

- Adjusts effortlessly A simple one-handed motion allows the keyboard to be repositioned instantly, without the use of locks or levers
- Encourages low-risk postures Maximizes adjustability within a safe operating range.
- Will last a lifetime Exceeds all applicable BIFMA Standards and comes with a lifetime guarantee.

Notes

- Available on: Freestanding Desk
- Factory Installed (standard)
- FIELD INSTALL \$395

Specifications

- Snap onto standard door hinge
- Requires (2) per door
- Max door height 43"
- Factory installed where specified
- Individually shipped for field installation

Notes


- Specify Each Item To Have Slow Close Feature

Specifications

 Standard Door overheads and cabinets can have door deleted for open access. Modification of hinge rails and structural components are made face ready.









DOOR MODIFICATIONS panel door lock

Style Number List Price

D2 100 Per
door set

DRAWER OPTIONS box drawer accessories

Style Number List Price

Wood Drawer Dividers w/ Clips

K-DIV SET OF 3
Single Tray - Utility Tray

K-Sut 35 ea.

DRAWER OPTIONS finished center drawer

Style Number List Price
K31 205
Add Skirt Option
K31-SK 310

TASK LIGHTING It-led task light

 Style Number
 List Price

 24" Task light
 215

 48" Task light
 270

 60" Task light
 335

 17-LED60
 335

 72" Task light
 335

 17-LED72
 335

Specifications

- Door Locks 1 Door w/ Lock, Other Door w/ Catch Latch
- Contact Customer Service regarding limited lock locations and keying.

Notes

- Available on: Panel Doors, Wood Frame Doors, and Silverluma doors

Specifications


- K-DIV Extra Wood Drawer Dividers with Clips, Top Box drawers standard with 1 divider
- K-SUT Single Tray Utility Tray, Specify Legal or Letter drawer width

Specifications


- Veneer drawer front finished to match unit W or G style veneer.
- Ball bearing smooth operation
- Drawer has lifetime guarantee
- Standard with matching wood grain pencil tray
- Laminate drawer front to match laminate unit (M style)


Specifications

- 6.5' Power cord. Switch with touch dimmer
- 36 LEDs per foot
- 4.6 Watts per foot
- 91 Lumens per watt









LIGHTING led interior cabinet puck light

Style Number List Price

Starter Kit

LEDPK 310

1 LED Interior Puck Light

PK 135

POWER / DATA power supply cordset

Style Number List Price
PD717 95

PRODUCT MODIFICATIONS modify width - open kneespace

Style Number List Price MOD-1 125

PRODUCT MODIFICATIONS modify width - open/closed storage

Style Number List Price
MOD-2 250

Specifications

- Starter kit includes Infeed, 1 Puck Interior Light and the ability to daisy chain up to 6 total Puck Lights
- (1) LED Puck Light with 30W power drive and switch
- Recessed fixture
- 12V linking cord 98"L
- Silver finish
- 50,000 hour life
- 2 watt per light

Notes

- Available on: Overhead/Tower Units with glass doors or no doors
- Power drive included, Light only

Specifications

- SIZE: 10.75"L x 2.0"W x 1.06"H
- (5) Outlets w/ 10' cord
- Surge suppression (720 Joules)
- 15 Amp breaker
- Available on: Vertical Panels, Cabinet Interiors, and under tops


Specifications

 Modify width down on any unit with an open kneespace: desk, workstation credenza, bridge, return

Specifications

 Modify width down on any unit with open or closed storage section: overheads, wall hung units, storage credenzas, towers






PRODUCT MODIFICATIONS modify width - outside of mod-1, mod-2

Style Number List Price

MOD-3 Contact
for pricing


PRODUCT MODIFICATIONS modify width - tackboard, slat wall, veneer panel, or a glassboard

Style Number List Price MOD-4 50



PRODUCT MODIFICATIONS modify depth - decrease depth

Style Number List Price
MOD-5 125



PRODUCT MODIFICATIONS modify depth - increase depth

Style Number List Price
MOD-6 Add 10%

Specifications

- Width modification outside of MOD-1 & MOD-2

Specifications

- Modify width down on tackboard, slat wall, veneer panel, or a overhead glassboard

Specifications

- Modify depth down (minimum depth for a unit with drawers is 21"D)

Notes


- Ex. 24" to 21", 30" to 24", and 36" to 30"

Specifications

- Increase depth by no more than 6"

Notes

- Ex. 24" to 30", 30" to 36", and 36" to 42"
- Add 10% to the unit you want to increase the depth of by no more than 6"







PRODUCT MODIFICATIONS modify height

Style Number List Price
MOD-7 Contact

for pricing

REFRIGERATOR MODIFICATION refrigerator cabinet modification

| Style Number | List Price |
|--------------|------------|
| REF01 | 205 |

WIRE MANAGEMENT

standard location grommets - factory installed

| Style N | umber | List Price |
|----------------|----------------------|------------|
| O tall a | ard Location Grommet | |
| Black TM30 | | 50 |
| Silver TM31 | | 50 |
| | e Brass | 50 |
| TM33 White | | 50 |
| TM34 | | 50 |
| | | |

WIRE MANAGEMENT

non-standard location grommets - factory installed

| Style Number | List Price |
|-------------------------------|------------|
| Non-Standard Location Grommet | |
| Black | |
| TM30 -NS | 95 |
| Silver | |
| TM31 -NS | 95 |
| Antique Brass | |
| TM33 -NS | 95 |
| White | |
| TM34 -NS | 95 |

Specifications

- Modify height of a unit

Specifications

- Open back cutout for venting
- Moisture sponge mat
- Contaminate ledge
- Contact customer service for maximum refrigerator size (Changes based on unit).

Notes

- Available on: 36" and 42" Storage Credenzas

Specifications

- 1 -5/8" Metal Grommet

Notes

 - *Units w/ Grommets Standard Are Noted Under Standard Features. Grommets Match Pull Finish -Standard (Unless Specified Otherwise)

Specifications

- 1 -5/8" Metal Grommet

Notes


- *Units w/ Grommets Standard Are Noted Under Standard Features. Grommets Match Pull Finish -Standard (Unless Specified Otherwise)



WIRE MANAGEMENT coil wire manager

Style Number List Price

W18 160




WIRE MANAGEMENT horizontal j-channel wire management raceway

Style Number

W1

List Price

80 Per 4' section



WIRE MANAGEMENT horizontal wire management raceway

Style Number List Price

35



WIRE MANAGEMENT horizontal u-channel wire management raceway

Style Number List Price
W2A 80 Per 4'
section

Specifications

- Weighted Base, Table attachment plate
- 39- 1/2" Length
- Black

Notes

- Location

Specifications

- 4' section for field installation.
- The "J" shape black thermoplastic wire raceway may be added to specified worksurface tops to provide concealed channeling of wires to and from worksurface grommets. For use in open kneespace areas, raceway is attachable to top of back panel with pan head screws. Interior dimensions are 1" x 1-1/2" providing ample storage for multiple wires and excess cable. Front of raceway flexes out for easy cord insertion.

Notes

- Units w/ Wire Channel Standard.
- Field Installation

Specifications

- 10"W x 1.5"D x 1.25"H
- Grey Wire Manager (10.5")
- Power and data cables can be discretely housed and managed with the W21 Gray Wire Manager. This can be mounted in any location to metal frame or underside of conference tables and runs cables through a 1" channel from power module to hollow steel legs. This keeps cables organized under the table top. Release clips make it simple to snap on and off the Wire Manager for easy organization and access after attached to the table

Notes

W21

- Field installed

Specifications

- 4' section for field installation.

Notes

- Units w/ Wire Channel Standard.
- Field Installation

Power & Data Options

Aircharge wireless charging grommet

Style Number List Price

~0

ACWG WIRELESS GROMMET \$213

Specifications

- > When used with GROVE Tables an additional \$350 LIST will apply for the special cutout requred.
- > AirCharge offers a convenient way to charge any Qi campatible smartphone or device without the need to carry charging cables or find an available power outlet.
- > The Aircharge is powered by the latest Qi compliant IC offering reliable and efficient wireless charging in a convenient 3" grommet hub. Simply place your phone on the Aircharge and an LED will confirm pairing and begin wireless charging.
- > Recess: Efficient space conservation and quick access
- > Input: DC 5V (with included AC power adapter), DC 9V, 1.67A (with optional QC 2.0 power adapter)
- > Output: 5 watts Max. with DC 5V, 2A power adapter, 10 watts Max. with QC 2.0 power adapter
- → Qi V1.2 compliant IC
- > Charging distance: 6mm Max.

Available: All DARRAN collections





Power & Data Options

Cove power unit with daisylink

Style Number List Price

STARTER UNITS

COV-DCH HARDWIRED

\$774

Includes (1) Cove unit with Hardwire Infeed

- 120"

COV-DCP PLUG

\$872

Includes (1) Cove unit with Plug infeed -Includes 72" Cord and 32" Infeed Jumper for 104" total cord infeed

ADDITIONAL LINKING UNITS

COV-DCL \$627 EACH

Includes Linking Cove unit and Jumper up to 96", cable length determined by the top size

Specifications

- > Size: 5.75"L x 2.5"W
- > (2) 15 Amp Receptacles and (2) 2.1 Amp USB charging ports
- > Surface Mount
- > Max Daisy Chain Hardwire (9) units; Plug/Corded (4) units
- > Standard Silver Finish, Available in White or Black Finish upon request
- > ETL Listed

Available: All DARRAN collections



D A R R A N° Power & Data Options

Keno power unit

Style Number List Price

~#

PD-KENO \$311

Specifications

> Size 5.5"L x 2.125"W x 2.5"H

- > 2 TR AC Outlets
- >14.2A USB module w/ 2 charging ports
- > 10' Power cord

Available: EdgeWorks, NSS Open, ThinkingQuitely







Power & Data Options

Seclusion corded power unit non-linking

Style Number List Price

~

\$436

Choose from plate mount or clamp mount (seen in photo)

Specifications

- > Size: 3.5"L x 2.2"D x 2.5"H
- (2) Power Receptacles
- > Worksurface Clamp Mount or Plate Under Surface Mount
- > Clamp Accessory accommodates table thickness up to 2"
- > 72" Cord

P2SECL

- > Standard Silver Finish, Black Finish available upon request
- > UL/UCL Listed

Available: All DARRAN collections





Clamp Mount

D A R R A N Power & Data Options

Soba wire manager

Style Number List Price

STARTER UNITS

SCDW \$218

White wire manager

SCDB \$218

Black wire manager

Specifications

Dimensions: 9ft x 9in x 3.15in

- > Zips up, bundles and routes loose, messy cables into a single tube
- \rightarrow Routes and guides cables behind desks, TVs, and anywhere cables tend to get messy
- > Accommodates large or small cables, up to three cables at once
- > Support channels, used to route cables, include powerful adhesive backing which allows easy attachment to surfaces.

Available: All DARRAN collections



D A R R A N° Power & Data Options

Tully power unit

Style Number List Price

~.0


PD-TULLY \$436

Specifications

- > 5.5" W x 3.2" H x 1.81" D
- > Finish: Smooth molded plastic integrated within a single piece cover
- > Mounts to the edge of your work surface, with no table cut outs or installation required.
- > (2) Power receptacles, (2) USB 2.1 Amp ports
- > 72" Cord (10' cord available, contact customer service).
- > Standard in White. Available in gray, black, neon red, harvest pumpkin, light green, daisy blue.
- > UL310, Class 2, FCC Part 15A approved
- > Clamp accessory accomodates table thickness from .75"-1.5"

Available: EdgeWorks, NSS Open, ThinkingQuietly.





Power & Data Options

VILLA Power unit with daisylink

Style Number List Price

STARTER UNITS

VIL-DCH HARDWIRED \$980

Includes (1) Villa unit with 120" Hardwire

Infeed

~#

VIL-DCP PLUG \$980

Includes (1) Villa with Plug Infeed - Includes 72" Cord and 32" Infeed Jumper for 104" total cord infeed

ADDITIONAL LINKING UNITS

VIL-DCL ADDITIONAL \$950

(Includes linking Villa and Jumper cable up to 96")

Specifications

- \Rightarrow Size: Top Grommet 5.68"L X 3.39"W; Under Top 12"L x 3.13"W x 3.08"D
- > (4) Power receptacles; (2) surface and (2) undersurface, (2) 2.1A USB charging ports and (1) Knockout for RJ45 Data Port
- > Surface Mount
- > Daisy Chain Hardwire Max (10) Units, Plug/Corded Max (5) Units
- > Standard Silver Finish, Black Finish available upon request
- > UL or ETL Certified

Available: All DARRAN collections, excludes grove

RJ45 Knockout

RJ45 (1) \$55



